

NEW

Toshiba Haori Designer Range



BUY NOW

AHI Carrier NZ is pleased to announce the release of a brand new range of Designer units. Toshiba Haori winner of the 2021 iF Design and Good Design Award is a one of a kind unit that allows the user to easily change colours by removing the “peel and stick” textile cover and replacing it with a colour to suite the room and user style. Choose from a big selection of factory covers or use as a template to make your own cover to match your furniture fabric or curtains.

1. Line-Up



**GOOD DESIGN
AWARD 2021**



Indoor Model No.			RAS-B10E2KVRG-A	RAS-B13E2KVRG-A	RAS-B16E2KVRG-A
Outdoor Model No.			RAS-10E2AVRG-A	RAS-13E2AVRG-A	RAS-16E2AVRG-A
Cooling Capacity - Rated	CO	kW	2.50	3.50	4.60
Cooling Capacity - Range	CO	kW	0.89 - 3.20	1.00 - 4.10	1.20 - 5.30
EER [rated (min - max)]	CO		4.63 (4.68 - 4.05)	4.38 (4.35 - 3.66)	3.41 (4.14 - 3.08)
Heating Capacity - Rated	RC	kW	3.20	4.20	5.50
Heating Capacity - Range	RC	kW	0.90 - 4.70	1.00 - 5.30	1.10 - 6.30
COP [rated (min - max)]	RC		4.32 (5.00 - 4.00)	3.89 (5.00 - 4.42)	3.62 (4.58 - 3.32)

2. Features

- Stylish and Elegant design

Product appearance



Built-in Wi-Fi
from factory



Matte surface
2 fabric in FCU bag



Hair line



New luxury remote
(Backlit screen)

LED Blue(Cooling)
& Orange()

Auto Vertical & Horizontal louver


Ionizer

Features continue


- “Let your style be your cover” Easily change the colour of the unit to suite any application

Choose your own design and fabric style.

- 1) Use local traditional fabric
- 2) Change fabric occasionally in each seasons



- Slim Design



- Multi Control Options




Option:
TCB-IFCB5-PE (HA terminal)
-Window switch/Remote on-off controller



Features continue

- Ultra Pure Filter
- Plasma Ionizer
- Toshiba Magic Coil

Ultra pure filter




Toshiba Ultra Pure filter captures up to 94% of PM2.5, creating healthy living spaces at home

Plasma Ionizer




Plasma Ionizer generates O-zone to catch the contaminated particle

Magic coil




Reduces water and oil formation and prevents dust sticking to the coil.





- Hada Care Flow

Special flap and air flow direction design



Air through distance up to 7 m.



Simply call this feature by MENU selection on remote control




- Maintain skin moisture
- Stress free of skin
- Feel comfort
- Reduce dry /damage skin



Cooling mode – Air distribution


Air flow distribution – comfort simulation test in cooling



肌
Hada
« skin »

Heating mode – Air distribution

Air flow distribution – comfort simulation test in Heating



3. Specifications

Indoor			RAS-B10E2KVRG-A	RAS-B13E2KVRG-A	RAS-B16E2KVRG-A
Outdoor			RAS-10E2AVRG-A	RAS-13E2AVRG-A	RAS-16E2AVRG-A
Cooling Capacity - Rated	CO	kW	2.50	3.50	4.60
Cooling Capacity - Range	CO	kW	0.89 - 3.20	1.00 - 4.10	1.20 - 5.30
EER [rated (min - max)]	CO		4.63 (4.68 - 4.05)	4.38 (4.35 - 3.66)	3.41 (4.14 - 3.08)
Heating Capacity - Rated	RC	kW	3.20	4.20	5.50
Heating Capacity - Range	RC	kW	0.90 - 4.70	1.00 - 5.30	1.10 - 6.30
COP [rated (min - max)]	RC		4.32 (5.00 - 4.00)	3.89 (5.00 - 4.42)	3.62 (4.58 - 3.32)
Indoor Unit					
Sound Pressure at Cooling Operation (rated)	CO	dB/rpm	41/37/33/28/22/19	43/38/34/28/23/19	45/40/36/30/25/21
Dimension (WxLxH)		mm	300x987x210	300x987x210	300x987x210
Net Weight		kg	11	11	12
Outdoor Unit					
Dimension (WxLxH)		mm	550x780x290	550x780x290	550x780x290
Net Weight		kg	26	30	33
Sound Power at Cooling Operation (high)	CO	dB	58	60	62
Pipe Size		(inch)	1/4 x 3/8	1/4 x 3/8	1/4 x 1/2
Refrigerant Type			R32		
Maximum Piping Length		(m)	20	20	20
Chargeless Length		(m)	15	15	15
Compressor type			Single rotary type	Single rotary type	Single rotary type
Power Supply		V/ph/Hz	220-240 / 1 / 50	220-240 / 1 / 50	220-240 / 1 / 50

4. Availability

From May 2022

5. POS

Hard and PDF Copy Brochure available in May 2022